


RECEIVED

NOV 05 2001

TECH CENTER 1600/2900



SEQUENCE LISTING

<110> MEINIEL, Annie  
MONNERIE, Hubert  
GOBRON, Stephane

<120> NOVEL PEPTIDES AND POLYPEPTIDES USEFUL FOR REGENERATING THE NERVOUS SYSTEM

<130> 065691/0179

<140> 09/462,909

<141> 2000-02-14

<150> PCT/FR98/01556

<151> 1998-07-16

<150> FR 97/09016

<151> 1997-07-16

<160> 24

<170> PatentIn version 3.1

<210> 1

<211> 16

<212> PRT

<213> Bovine

<220>

<221> misc\_feature

<222> (3)..(7)

<223> Xaa can be any amino acid

<220>

<221> misc\_feature

<222> (10)..(14)

<223> Xaa can be any amino acid

<400> 1

Trp Ser Xaa Xaa Xaa Xaa Xaa Cys Ser Xaa Xaa Xaa Xaa Xaa Cys Gly  
1 5 10 15

<210> 2

<211> 9

<212> PRT

<213> Bovine

<400> 2

Trp Ser Pro Cys Ser Val Thr Cys Gly  
1 5

<210> 3  
<211> 9  
<212> PRT  
<213> Bovine

<400> 3

Trp Ser Ser Cys Ser Val Thr Cys Gly  
1 5

<210> 4  
<211> 9  
<212> PRT  
<213> Bovine

<400> 4

Trp Ser Gln Cys Ser Val Thr Cys Gly  
1 5

<210> 5  
<211> 4  
<212> PRT  
<213> Bovine

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa can be Gly, Ser or Cys

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa can be Gly, Ser or Cys

<220>  
<221> MISC\_FEATURE  
<222> (4)..(4)  
<223> Xaa can be Gly, Ser or Cys

<400> 5

Xaa Trp Xaa Xaa  
1

<210> 6  
<211> 4  
<212> PRT  
<213> Bovine

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa can be Gly, Ser or Cys

<220>  
<221> MISC\_FEATURE  
<222> (4)..(4)  
<223> Xaa can be Gly, Ser or Cys

<400> 6

Xaa Trp Ser Xaa  
1

<210> 7  
<211> 15  
<212> PRT  
<213> Bovine

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa can be Gly, Ser or Cys

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa can be Gly, Ser or Cys

<220>  
<221> MISC\_FEATURE  
<222> (9)..(13)  
<223> Xaa can be any amino acid

<400> 7

Trp Ser Xaa Trp Ser Xaa Cys Ser Xaa Xaa Xaa Xaa Xaa Cys Gly  
1 5 10 15

<210> 8  
<211> 12  
<212> PRT  
<213> Bovine

<400> 8

Trp Ser Gly Trp Ser Ser Cys Ser Arg Ser Cys Gly  
1 5 10

<210> 9  
 <211> 22  
 <212> PRT  
 <213> Bovine  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (1)..(5)  
 <223> Xaa can be any amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa can be Pro or (Gly, Ser or Cys)-Trp-(Gly, Ser or Cys)-(Gly,  
 Ser or Cys)  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(15)  
 <223> Xaa can be any amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (18)..(22)  
 <223> Xaa can be any amino acid  
  
 <400> 9

Xaa Xaa Xaa Xaa Xaa Trp Ser Xaa Cys Ser Xaa Xaa Xaa Xaa Xaa Cys  
 1 5 10 15

Gly Xaa Xaa Xaa Xaa Xaa  
 20

<210> 10  
 <211> 36  
 <212> DNA  
 <213> Bovine  
  
 <220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> N can be A, C, G or T  
  
 <220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> N can be A, C, G or T  
  
 <220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> N can be A, C, G or T

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> N can be A, C, G or T

<220>  
<221> misc\_feature  
<222> (24)..(24)  
<223> N can be A, C, G or T

<220>  
<221> misc\_feature  
<222> (27)..(27)  
<223> N can be A, C, G or T

<220>  
<221> misc\_feature  
<222> (30)..(30)  
<223> N can be A, C, G or T

<220>  
<221> misc\_feature  
<222> (36)..(36)  
<223> N can be A, C, G or T

<400> 10  
tggwsnggnt ggwsnwsntg ywsnmgnwsn tgyggn

36

<210> 11  
<211> 9  
<212> PRT  
<213> Bovine

<400> 11

Trp Gly Pro Cys Ser Val Ser Cys Gly  
1 5

<210> 12  
<211> 8  
<212> PRT  
<213> Bovine

<400> 12

Asp Cys Lys Asp Gly Ser Asp Glu  
1 5

<210> 13  
<211> 4  
<212> PRT  
<213> Bovine

<400> 13

Arg Lys Ala Arg  
1

<210> 14

<211> 12

<212> PRT

<213> Bovine

<400> 14

Ser Ser Cys Arg Ser Gly Cys Trp Gly Ser Ser Trp  
1 5 10

<210> 15

<211> 23

<212> PRT

<213> Bovine

<400> 15

Trp Ser Pro Trp Ser Glu Trp Thr Ser Cys Ser Thr Ser Cys Gly Asn  
1 5 10 15

Gly Ile Gln Gln Arg Gly Arg  
20

<210> 16

<211> 23

<212> PRT

<213> Bovine

<400> 16

Trp Ser His Trp Ser Pro Trp Ser Ser Cys Ser Val Thr Cys Asp Gly  
1 5 10 15

Asp Val Ile Thr Arg Ile Arg  
20

<210> 17

<211> 23

<212> PRT

<213> Bovine

<400> 17

Trp Gly Pro Trp Ser Pro Trp Asp Ile Cys Ser Val Thr Cys Gly Gly  
1 5 10 15

Gly Val Gln Lys Arg Ser Arg  
20

<210> 18

<211> 9

<212> PRT

<213> Bovine

<400> 18

Trp Ser Gln Cys Ser Val Tyr Cys Gly  
1 5

<210> 19

<211> 22

<212> PRT

<213> Bovine

<400> 19

Thr Glu Trp Ser Ala Cys Ser Lys Ser Cys Gly Met Gly Phe Ser Thr  
1 5 10 15

Arg Val Thr Asn Arg Asn  
20

<210> 20

<211> 22

<212> PRT

<213> Bovine

<400> 20

Thr Glu Trp Ser Ala Cys Ser Lys Thr Cys Gly Met Gly Ile Ser Thr  
1 5 10 15

Arg Val Thr Asn Asp Asn  
20

<210> 21

<211> 6

<212> PRT

<213> Bovine

<400> 21

Cys Ser Val Thr Cys Gly  
1 5

<210> 22

<211> 4

<212> PRT

<213> Bovine

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> Xaa can be any amino acid

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa can be any amino acid

<400> 22

Trp Xaa Xaa Trp  
1

<210> 23

<211> 4

<212> PRT

<213> Bovine

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa can be any amino acid

<400> 23

Asx Asx Xaa Asx  
1

<210> 24

<211> 5

<212> PRT

<213> Bovine

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa can be any amino acid

Auto  
BI  
Cnr

<400> 24

Trp Ser Xaa Trp Ser  
1 5